


kêrtiles




kêrtiles

INDEX



AMAZONITE



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtiles


AMAZONITE



BERGAMO



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.




kêrtiles

BERGAMO

CORK

Brown



Grey



Light Grey



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtiles

CORK
Brown

LIMERICK



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtiles

LIMERICK



MONTPELIER



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtiles

MONTPELIER

ONIX

Gold



Silver



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished



Matt

Porcelain Glazed Tile Rect.




kêrtiles

ONIX
Silver

SARAYLAR



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished



Matt

Porcelain Glazed Tile Rect.



kêrtiles

SARAYLAR



THUM



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtiles


THUM



VERONIC GREY



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished



Matt

Porcelain Glazed Tile Rect.



kêrtiles

VERONIC GREY

VISBY

3D Carving



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Matt




3D Carving

Porcelain Glazed Tile Rect.



kêrtiles


VISBY



SAINT LOUIS



600 x 120
24" x 48"



800 x 1600
32" x 64"




Porcelain




High Glossy

Porcelain Glazed Tile Rect.



kêrtiles


SAINT LOUIS



COLUMBIA



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtilés


COLUMBIA



LAWRENCE



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished




Matt

Porcelain Glazed Tile Rect.



kêrtiles


LAWRENCE



GASPE



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain




High Glossy

Porcelain Glazed Tile Rect.



kêrtiles


GASPE



MAINLAND



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtiles


MAINLAND



NASS



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain




High Glossy

Porcelain Glazed Tile Rect.



kêrtiles

NASS



SKEENA



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



High Glossy

Porcelain Glazed Tile Rect.



kêrtiles


SKEENA



FRAZER



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished




Matt

Porcelain Glazed Tile Rect.



kêrtiles


FRAZER



HIGHBOURNE



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished




Matt

Porcelain Glazed Tile Rect.



kêrtiles


HIGHBOURNE



LESBOS



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished



Matt

Porcelain Glazed Tile Rect.



kêrtiles

LESBOS

RODAS



3D Carving



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Matt



3D Carving


Porcelain Glazed Tile Rect.



kêrtiles

RODAS

LEMNOS



3D Carving



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Matt



3D Carving

Porcelain Glazed Tile Rect.



kêrtiles


LEMNOS



SPRIZ



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished



Matt

Porcelain Glazed Tile Rect.



kêrtiles


SPRIZ



ARIAN



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished



Matt

Porcelain Glazed Tile Rect.



kêrtiles


ARIAN



WELLAND



600 x 120
24" x 48"



800 x 1600
32" x 64"



Porcelain



Polished



Matt

Porcelain Glazed Tile Rect.



kêrtiles

WELLAND

TECHNICAL SPECIFICATION

TEST	NORM	DETERMINATION	UNIT	WALL TILE - FINISHED		
				GLAZED GLOSSY	GLAZED MATT	GLAZED GLOSSY & MATT RELIEVE
Dimensions and Surface Quality	ISO 10545-2	Length	%	±0.6	±0.6	±0.6
		Width		±0.6	±0.6	±0.6
		Thinckness		±5	±5	±5
		Straightness of sides		±0.5	±0.5	±0.5
		Regularity		±0.5	±0.5	±0.5
		Centre curvature		±0.5	±0.5	±0.5
		Edge curvature		±0.5	±0.5	±0.5
		Warpage (vs diaonal)		±0.6	±0.6	±0.6
		Surface quality		95	95	95
Water Absorption	ISO 10545-3	Absorption by Autclave	%	>10	>10	>10
Modulus of Rupture	ISO 10545-4	Breaking Force	N7mm ²	20	20	20
Resistance to Surface Abrasion	ISO 10545-7	Visual aspect	Class	PEI I	PEI I	PEI I
Thermal Shock Resistance	ISO 10545-9	RESISTANT		YES	YES	YES
Frost Resistance	ISO 10545-12	RESISTANT		NO	NO	NO
Chemical Resistance	ISO 10545-13	Cleaning products	Class	GA	GA	GA
		Pool salts		GA	GA	GA
		Low concentrations		GLB	GLA	GLA
		High concentrations		GHB	GHA	GHA
Stain Resistance	ISO 10545-14	Visual Aspect	Class	5	5	5
Anti-slip properties	ANSI A 137-1	Dinamic coefficient of friction (DCOF)	Class	≤0.42	≤0.42	≤0.42

PORCELAIN GENERAL TECHNICAL SPECIFICATION

TEST	NORM	DETERMINATION	UNIT	PORCELAIN TILE - FINISHED					
				GLAZED POLISH	GLAZED MATT	GLAZED STAIN	GLAZED RELIEVE	GLAZED ANTI-SLIP	FULL BODY
									DOUBLE LOADING
									SOLUBLE SALT POLISH
Dimensions and Surface Quality	ISO 10545-2	Length	%	±0.6	±0.6	±0.6	±0.6	±0.6	±0.6
		Width		±0.6	±0.6	±0.6	±0.6	±0.6	±0.6
		Thickness		±5	±5	±5	±5	±5	±5
		Straightness of sides		±0.5	±0.5	±0.5	±0.5	±0.5	±0.5
		Regularity		±0.5	±0.5	±0.5	±0.5	±0.5	±0.5
		Centre curvature		±0.5	±0.5	±0.5	±0.5	±0.5	±0.5
		Edge curvature		±0.5	±0.5	±0.5	±0.5	±0.5	±0.5
		Warpage (vs diaonal)		±0.6	±0.6	±0.6	±0.6	±0.6	±0.6
		Surface quality		95	95	95	95	95	95
Water Absorption	ISO 10545-3	Absorption by Autclave	%	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1
Modulus of Rupture	ISO 10545-4	Breaking Force	N7mm ²	38	38	38	38	38	38
Deep Abrasion Resistance	ISO 10545-6	Volume Loss	Class	-	-	-	-	-	140
Resistance to Surface Abrasion	ISO 10545-7	Visual aspect	mm ³	PEI III ~ IV	PEI III ~ IV	PEI III ~ IV	PEI III ~ IV	PEI V	-
Linear Thermal Dilation	ISO 10545-8	Dilation 25-100 °C (medium)	10 ⁶ °C	5.7	5.7	5.7	5.7	5.7	5.7
Thermal Shock Resistance	ISO 10545-9	RESISTANT		YES	YES	YES	YES	YES	YES
Frost Resistance	ISO 10545-12	RESISTANT		YES	YES	YES	YES	YES	YES
Chemical Resistance	ISO 10545-13	Cleaning products	Class	GA	GA	GA	GA	GA	UA
		Pool salts		GA	GA	GA	GA	GA	UA
		Low concentrations		GLB	GLA	GLBA	GLBA	GLA	ULA
		High concentrations		GHB	GHA	GHA	GHA	GHA	UHA
Stain Resistance	ISO 10545-14	Visual Aspect	Class	5	4	4	4	4	5
Anti-slip properties	ANSI A 137-1	Dinamic coefficient of friction (DCOF)	Class	≤0.42	≥0.42	≥0.42	≥0.42	≥0.60	≤0.42

PACKING

Product	Finish	Size (cm)	Size (In)	Pcs/Box	Box Weight (kg)	Pallet	Boxes/ Pallet	Boxes/ Container	Sqm by cont 27 Tons
Porcelain Tile	Polished	30x60	12x24	5	16	27	27*60	1620	1458
Porcelain Tile	Polished	60x60	24x24	4	26,5	25	40	1000	1440
Porcelain Tile	Polished	60x120	24x48	2	27	30	32*30	960	1382,4
Porcelain Tile	Polished	80x80	32x32	3	39,5	20	20*34	680	1305,6
Porcelain Tile	Polished	120x120	48x48	2	61	13	26	338	973,44

IMPORTANT NOTICE

The reproduction of the colors approximated. Kertiles reserves the right to alter or amend the products here stated. Price codes and product codes should be checked.

IMPORTANTE

La reproducción de los colores es aproximada. Kertiles se reserva el derecho a alternar o modificarlos productos aquí relacionados. Los códigos de precios y referencias deben verificarse.

CAUTION: READ BEFORE INSTALLATION

Disclaimer on tiles: Polished porcelain may have variations in color, shiny effect and smoothness.

These variations are affected by light and brightness. No claims will be accepted due to these changes in surface appearance.

Due to the delicate nature of these products, we do not recommend the application of strong cleaning products, solvents, polishing, or buffing to the tile.

BEFORE INSTALLATION, we recommend the inspection of all tiles. No claims will be accepted after the tiles have been installed.

ATENCIÓN: LEER ANTES DE COLOCAR

Aviso legal: La porcelana pulida puede mostrar variaciones en color, tonalidad, brillo y liso.

Diferentes tipos de luz afectan al aspecto del producto. No se aceptan reclamaciones debido a cambios en la apariencia de la superficie.

Debido al delicado acabado de estos productos, no recomendamos el uso de disolventes, productos de limpieza, ácidos o ningún tipo de pulido o abrasivo.

ANTES DE LA COLOCACIÓN, recomendamos revisar cuidadosamente todas las piezas.

No se aceptan reclamaciones una vez el producto ha sido colocado

kêrtiles

3281 NW 78th Ave.
Miami, Florida 33122

Tel: 305.477.0096

www.kertiles.com